(e) That the cartmen should not smoke, either in the Koti or while the sandalwood is under transit, and that in case of danger to the sandalwood by fire, the contractor will be liable to the Department for damages which may be estimated as fair by the District Forest Officer whose decision in the matter will be final.

(f) That his coolies and cartmen will submit to the disciplinary measure that may have to be enforced by the Koti Officer during the working hours.

(g) That for failure to fulfil all or any of the foregoing conditions, the contractor may be held liable for such fine as the District Forest Officer, at his discretion, may levy apart from the forfeiting of the earnest deposit to Government.

(h) The contract will be for the official year from 1st July 1936 to 30th June 1937.

Payments to the contractor, will be by means of cheques drawn in his favour on the bills compiled by the Koti Ranger, after the Sandal consigned has reached the Kadur Railway Station and receipted by the Range Officer, Kadur.

A. V. KESAVIENGAR,
*District Forest Officer.*

## ENGINEERING DEPARTMENT

### BUILDINGS DIVISION, BANGALORE.

*Notification dated 14th July 1936.*

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 1st August 1936, 4 P.M., for constructing a temple at the Poor House Block at Basavangudi, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of Jnue 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred and thirty only in cash or Government Promissory Notes, as earnest money, and be superscribed 'Tender for constructing a temple at the Poor House Block at Basavangudi, Bangalore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Transfer of works to third parties by selected contractors will not be countenanced by the Department and in the case of any such attempt, the earnest money is liable to be forfeited at the descretion of the Superintending Engineer.

Quotation for wood work must be for the use of Mysore teak only.

Abstract estimate of quantities for constructing a Temple at the Poor House Block, Basavangudi, Bangalore City.

| No. | Items of work | Per | Rate | Quantity | Rate to be quoted |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | Rs. a. p. |
| 1 | Earthwork excavation and filling in basement | C.yds. | 0 4 0 | 113 | |
| 2 | Lime mortar concrete ¼ quantity of excavation | C.ft. | 0 4 0 | 928 | |
| 3 | Burnt size stone in lime mortar with through bond stones foundation only .. .. | ,, | 0 4 6 | 1,804 | |
| 4 | Burnt size stone in lime mortar basement— | | | | |
| | (*a*) Blocking course in basement at bottom alround exposed faces moulded to design with two line dressed .. .. | ,, | 1 0 0 | 79 | |
| | (*b*) Basement portion alround exposed faces all line dressed .. .. .. | ,, | 0 6 0 | 523 | |
| | (*c*) Burnt stone coping slabs with moulded faces as per design all exposed faces two line dressed, 6″ thick 2′-6″ wide in approved lengths alround, etc., plinth slabs .. | S.ft. | 0 12 0 | 368 | |
| | (*d*) Ceiling cornice fixed in mortar or moulded in the plaster as per design .. .. | R.ft. | 1 0 0 | 126 | |
| 5 | Size stone in lime mortar with through bonds in superstructure Quoins dressed two lines for 2″ width .. .. .. | C.ft. | 0 6 0 | 1,290 | |
| 6 | Cut stone square pillars 1′-2″ square with notching and grooving as per approved design with suji shafts, two line dressed. | ,, | 2 0 0 | 89 | |
| | (*a*) Cut stone bases and capitals, including nice dressing, etc., complete as per design. | ,, | 4 0 0 | 31 | |
| | (*b*) Two inches iron pillars with bases and capitals as per approved design .. | Each | 15 0 0 | 4 | |
| 7 | Raw stone granite lintel beams over pillars to serve as bressummers 1″ deep 1′-2″ wide two lines dressed and fixed with dowels over pillars as designed all exposed faces two lines dressed and other faces one line dressed .. .. .. .. | C.ft. | 1 0 0 | 58 | |
| 8 | Roofing with 6″ raw stone slab with bottom and joints one line dressed with a water proofing course of surki concrete and flat tiles, etc., joints set in mortar .. .. | Sqr. | 60 0 0 | 2·50 | |
| | (*a*) Roofing with 8″ raw slabs for *Garbhagriha*, bottom and joints two line dressed set in cement mortar .. .. .. | ,, | 60 0 0 | 1·00 | |
| 9 | Cut stone cornice, 1′ deep in two courses and projecting 1′-6″ beyond masonry .. | R.ft. | 3 0 0 | 56 | |
| | (*a*) Cornice with ornamental mouldings for *Garbhagriha* .. .. .. | ,, | 3 8 0 | 34 | |
| 10 | Size stone parapet wall in lime mortar, including pointing outside faces one line dressed and inside chistle draft with 9″ blocking course 2″ dressed 4″ top coping slab two line dressed .. .. .. .. | ,, | 2 8 0 | 60 | |
| 11 | Providing and fixing R.C.C. perforated panels stone finished fixed in parapet wall as per design and R.C.C. panels for side windows with imitation stone finish .. .. | S.ft. | 1 4 0 | 41 | |
| 12 | Ornamentation to side windows in *Garbhagriha* .. .. .. .. | L.S. | 50 0 0 | .. | |
| 13 | Providing and fixing one teakwood ornamental door as per design frame 5″×6″ shutter 2″ thick .. .. .. | S.ft. | 3 0 0 | 45 | |

| No. | Items of work | Per | Rate | Quantity | Rate to be quoted |
|---|---|---|---|---|---|
| | | | Rs. a. p. | | Rs. a. p. |
| 14 | Providing Hollow Gopuram for the Temple, 12′ high with a dome at top, complete with ornamental plaster moulding and stucco work, etc., mould solid .. .. | C.ft. | 1 0 0 | 871 | |
| 15 | Providing Brass finials, gold gilt, etc., as per approved design .. .. .. | L.S. | .. | .. | |
| 16 | Flooring with granite stone, 18″ square laid diagonally over 3″ lime concrete and pointed and one line dressed .. .. | Sqr. | 45 0 0 | 5·02 | |
| 17 | Ornamental Arch way over parapet level in front .. .. .. .. | L.S. | .. | .. | |

N. KRISHNIENGAR,
*Executive Engineer.*

## KOLAR DIVISION.

*Abstract Notification dated 24th June* 1936.

The attention of the public is invited to the notification, published in pages 974-976 of the issue of the *Mysore Gazette*, dated 2nd July 1936, inviting tenders for the work of restoration of breached Kolimpalli Sunnapralakere, Register No. 795, Minor, Bagepalli Taluk.

The last date fixed for the receipt of tenders in this Office is 2 P.M. on 27th July 1936.

N. SUBBA RAO,
*Executive Engineer.*

*Notification dated 7th July* 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M., on 6th August 1936, for restoring Dinneri Kanagalkere Minor tank, Register No. 276 of Malur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M., on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Dinnery Kanagalkere Minor Tank, Register No. 276 of Malur Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry, regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders, will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.